






























































"ConnectorsforDemandingApplications" StockingPackageProposal























| No. | ProductGroup | FCIPartNumber | 图形 | 产品描述 | NormalMOQ | SPQ | SpecialMOQ | 正常交货期 (天) |
|-----|--------------|--------------------|----|---|-----------|--------|------------|-----------|
| 1 | Basics+ | 10044403-1011F | | MinitekCTWContact.22AWG.24AWG | 20,000 | 20,000 | 20,000 | 31 |
| 2 | Basics+ | 10073599-0001F | | MinitekCTWActiveLatching.2mmPitch.2positions | 1,000 | 1,000 | 1,000 | 59 |
| 3 | Basics+ | 10073599-0008F | | MinitekCTWActiveLatching.2mmPitch.8positions | 1,000 | 1,000 | 1,000 | 59 |
| 4 | Basics+ | 10073599-0101F | | MinitekCTWActiveLatching.2mmPitch.10positions | 1,000 | 1,000 | 1,000 | 59 |
| 5 | Basics+ | 10073599-0121F | | MinitekCTWActiveLatching.2mmPitch.12positions | 1,000 | 1,000 | 1,000 | 59 |
| 6 | Basics+ | 10073599-0161F | | MinitekCTWActiveLatching.2mmPitch.16positions | 1,000 | 1,000 | 1,000 | 59 |
| 7 | Basics+ | 10073599-0201F | | MinitekCTWActiveLatching.2mmPitch.20positions | 500 | 500 | 500 | 59 |
| 8 | Basics+ | 20021111-00008T4LF | | 1.27mmMinitek | 4,088 | 4,088 | 4,088 | 56 |
| 9 | Basics+ | 20021111-00008T4LF | | 1.27mmMinitek | 3,080 | 3,080 | 3,080 | 56 |
| 10 | Basics+ | 20021111-00010T4LF | | 1.27mmMinitek | 2,464 | 2,464 | 2,464 | 56 |
| 11 | Basics+ | 20021111-00014T4LF | | 1.27mmMinitek | 2,635 | 2,635 | 2,635 | 56 |
| 12 | Basics+ | 20021111-00016T4LF | | 1.27mmMinitek | 2,295 | 2,295 | 2,295 | 56 |
| 13 | Basics+ | 20021111-00018T4LF | | 1.27mmMinitek | 2,040 | 2,040 | 2,040 | 56 |
| 14 | Basics+ | 20021111-00022T4LF | | 1.27mmMinitek | 2,940 | 2,940 | 2,940 | 56 |
| 15 | Basics+ | 20021111-00024T4LF | | 1.27mmMinitek | 2,646 | 2,646 | 2,646 | 56 |
| 16 | Basics+ | 20021111-00026T4LF | | 1.27mmMinitek | 2,499 | 2,499 | 2,499 | 56 |
| 17 | Basics+ | 20021111-00030T4LF | | 1.27mmMinitek | 2,058 | 2,058 | 2,058 | 56 |
| 18 | Basics+ | 20021111-00034T4LF | | 1.27mmMinitek | 1,911 | 1,911 | 1,911 | 56 |
| 19 | Basics+ | 20021111-00036T4LF | | 1.27mmMinitek | 1,764 | 1,764 | 1,764 | 56 |
| 20 | Basics+ | 20021111-00040T4LF | | 1.27mmMinitek | 1,617 | 1,617 | 1,617 | 56 |
| 21 | Basics+ | 20021111-00050T4LF | | 1.27mmMinitek | 1,176 | 1,176 | 1,176 | 56 |
| 22 | Basics+ | 20021111-00060T4LF | | 1.27mmMinitek | 1,029 | 1,029 | 1,029 | 56 |
| 23 | Basics+ | 20021111-00080T4LF | | 1.27mmMinitek | 735 | 735 | 735 | 56 |
| 24 | Basics+ | 20021111-00090T4LF | | 1.27mmMinitek | 588 | 588 | 588 | 56 |
| 25 | Basics+ | 20021112-00006T11F | | 1.27mmMinitek | 2,336 | 2,336 | 2,336 | 56 |
| 26 | Basics+ | 20021112-00008T4LF | | 1.27mmMinitek | 2,640 | 2,640 | 2,640 | 56 |
| 27 | Basics+ | 20021112-00010T4LF | | 1.27mmMinitek | 2,112 | 2,112 | 2,112 | 56 |
| 28 | Basics+ | 20021112-00020T4LF | | 1.27mmMinitek | 1,056 | 1,056 | 1,056 | 56 |
| 29 | Basics+ | 20021121-00004T4LF | | 1.27mmMinitek | 6,600 | 6,600 | 6,600 | 56 |
| 30 | Basics+ | 20021121-00006T4LF | | 1.27mmMinitek | 4,088 | 4,088 | 4,088 | 56 |
| 31 | Basics+ | 20021121-00008T4LF | | 1.27mmMinitek | 3,080 | 3,080 | 3,080 | 56 |
| 32 | Basics+ | 20021121-00010T4LF | | 1.27mmMinitek | 2,464 | 2,464 | 2,464 | 56 |
| 33 | Basics+ | 20021121-00012T4LF | | 1.27mmMinitek | 3,060 | 3,060 | 3,060 | 56 |
| 34 | Basics+ | 20021121-00014T4LF | | 1.27mmMinitek | 2,635 | 2,635 | 2,635 | 56 |
| 35 | Basics+ | 20021121-00016T4LF | | 1.27mmMinitek | 2,295 | 2,295 | 2,295 | 56 |
| 36 | Basics+ | 20021121-00018T4LF | | 1.27mmMinitek | 2,040 | 2,040 | 2,040 | 56 |
| 37 | Basics+ | 20021121-00020T4LF | | 1.27mmMinitek | 1,870 | 1,870 | 1,870 | 56 |
| 38 | Basics+ | 20021121-00022T4LF | | 1.27mmMinitek | 2,940 | 2,940 | 2,940 | 56 |
| 39 | Basics+ | 20021121-00024T4LF | | 1.27mmMinitek | 2,646 | 2,646 | 2,646 | 56 |
| 40 | Basics+ | 20021121-00026T4LF | | 1.27mmMinitek | 2,499 | 2,499 | 2,499 | 56 |
| 41 | Basics+ | 20021121-00028T4LF | | 1.27mmMinitek | 2,205 | 2,205 | 2,205 | 56 |
| 42 | Basics+ | 20021121-00034T4LF | | 1.27mmMinitek | 1,911 | 1,911 | 1,911 | 56 |
| 43 | Basics+ | 20021121-00036T4LF | | 1.27mmMinitek | 1,764 | 1,764 | 1,764 | 56 |
| 44 | Basics+ | 20021121-00050T4LF | | 1.27mmMinitek | 1,176 | 1,176 | 1,176 | 56 |
| 45 | Basics+ | 20021121-00060T4LF | | 1.27mmMinitek | 1,029 | 1,029 | 1,029 | 56 |
| 46 | Basics+ | 20021121-00080T4LF | | 1.27mmMinitek | 735 | 735 | 735 | 56 |
| 47 | Basics+ | 20021121-00090T4LF | | 1.27mmMinitek | 588 | 588 | 588 | 56 |
| 48 | Basics+ | 20021121-000A0T4LF | | 1.27mmMinitek | 588 | 588 | 588 | 56 |
| 49 | Basics+ | 20021122-00010T4LF | | 1.27mmMinitek | 1,584 | 1,584 | 1,584 | 56 |
| 50 | Basics+ | 20021122-00022T4LF | | 1.27mmMinitek | 1,400 | 1,400 | 1,400 | 56 |
| 51 | Basics+ | 20021221-00006T4LF | | 1.27mmMinitek | 2,296 | 2,296 | 2,296 | 56 |
| 52 | Basics+ | 20021221-00010T4LF | | 1.27mmMinitek | 2,520 | 2,520 | 2,520 | 56 |
| 53 | Basics+ | 20021221-00012T4LF | | 1.27mmMinitek | 2,184 | 2,184 | 2,184 | 56 |
| 54 | Basics+ | 20021221-00016T4LF | | 1.27mmMinitek | 1,764 | 1,764 | 1,764 | 56 |
| 55 | Basics+ | 20021221-00020T4LF | | 1.27mmMinitek | 1,428 | 1,428 | 1,428 | 56 |
| 56 | Basics+ | 20021311-00008T4LF | | 1.27mmMinitek | 2,990 | 2,990 | 2,990 | 56 |
| 57 | Basics+ | 20021311-00008T4LF | | 1.27mmMinitek | 2,300 | 2,300 | 2,300 | 56 |
| 58 | Basics+ | 20021311-00010T4LF | | 1.27mmMinitek | 2,870 | 2,870 | 2,870 | 56 |
| 59 | Basics+ | 20021311-00012T4LF | | 1.27mmMinitek | 2,380 | 2,380 | 2,380 | 56 |
| 60 | Basics+ | 20021311-00014T4LF | | 1.27mmMinitek | 2,030 | 2,030 | 2,030 | 56 |
| 61 | Basics+ | 20021311-00016T4LF | | 1.27mmMinitek | 1,820 | 1,820 | 1,820 | 56 |
| 62 | Basics+ | 20021311-00018T4LF | | 1.27mmMinitek | 1,610 | 1,610 | 1,610 | 56 |
| 63 | Basics+ | 20021311-00020T4LF | | 1.27mmMinitek | 1,470 | 1,470 | 1,470 | 56 |
| 64 | Basics+ | 20021311-00022T4LF | | 1.27mmMinitek | 2,280 | 2,280 | 2,280 | 56 |
| 65 | Basics+ | 20021311-00024T4LF | | 1.27mmMinitek | 2,040 | 2,040 | 2,040 | 56 |
| 66 | Basics+ | 20021311-00028T4LF | | 1.27mmMinitek | 1,920 | 1,920 | 1,920 | 56 |
| 67 | Basics+ | 20021311-00030T4LF | | 1.27mmMinitek | 1,680 | 1,680 | 1,680 | 56 |
| 68 | Basics+ | 20021311-00034T4LF | | 1.27mmMinitek | 1,440 | 1,440 | 1,440 | 56 |
| 69 | Basics+ | 20021311-00036T4LF | | 1.27mmMinitek | 1,440 | 1,440 | 1,440 | 56 |
| 70 | Basics+ | 20021311-00040T4LF | | 1.27mmMinitek | 1,200 | 1,200 | 1,200 | 56 |
| 71 | Basics+ | 20021311-00050T4LF | | 1.27mmMinitek | 960 | 960 | 960 | 56 |
| 72 | Basics+ | 20021311-00060T4LF | | 1.27mmMinitek | 840 | 840 | 840 | 56 |
| 73 | Basics+ | 20021311-00080T4LF | | 1.27mmMinitek | 600 | 600 | 600 | 56 |
| 74 | Basics+ | 20021311-00090T4LF | | 1.27mmMinitek | 480 | 480 | 480 | 56 |
| 75 | Basics+ | 20021321-00006T4LF | | 1.27mmMinitek | 3,840 | 3,840 | 3,840 | 56 |
| 76 | Basics+ | 20021321-00008T4LF | | 1.27mmMinitek | 2,800 | 2,800 | 2,800 | 56 |
| 77 | Basics+ | 20021321-00010T4LF | | 1.27mmMinitek | 2,296 | 2,296 | 2,296 | 56 |
| 78 | Basics+ | 20021321-00012T4LF | | 1.27mmMinitek | 1,904 | 1,904 | 1,904 | 56 |
| 79 | Basics+ | 20021321-00016T4LF | | 1.27mmMinitek | 2,184 | 2,184 | 2,184 | 56 |
| 80 | Basics+ | 20021321-00018T4LF | | 1.27mmMinitek | 1,932 | 1,932 | 1,932 | 56 |
| 81 | Basics+ | 20021321-00020T4LF | | 1.27mmMinitek | 1,764 | 1,764 | 1,764 | 56 |
| 82 | Basics+ | 20021321-00022T4LF | | 1.27mmMinitek | 2,850 | 2,850 | 2,850 | 56 |
| 83 | Basics+ | 20021321-00024T4LF | | 1.27mmMinitek | 2,550 | 2,550 | 2,550 | 56 |
| 84 | Basics+ | 20021321-00026T4LF | | 1.27mmMinitek | 2,400 | 2,400 | 2,400 | 56 |
| 85 | Basics+ | 20021321-00030T4LF | | 1.27mmMinitek | 2,100 | 2,100 | 2,100 | 56 |
| 86 | Basics+ | 20021321-00034T4LF | | 1.27mmMinitek | 1,800 | 1,800 | 1,800 | 56 |
| 87 | Basics+ | 20021321-00036T4LF | | 1.27mmMinitek | 1,800 | 1,800 | 1,800 | 56 |
| 88 | Basics+ | 20021321-00080T4LF | | 1.27mmMinitek | 750 | 750 | 750 | 56 |
| 89 | Basics+ | 20021321-00090T4LF | | 1.27mmMinitek | 600 | 600 | 600 | 56 |
| 90 | Basics+ | 20021321-000A0T4LF | | 1.27mmMinitek | 600 | 600 | 600 | 56 |
| 91 | Basics+ | 20021444-00006T4LF | | 1.27mmMinitek | 4,080 | 4,080 | 4,080 | 63 |
| 92 | Basics+ | 20021444-00010T11F | | 1.27mmMinitek | 2,470 | 2,470 | 2,470 | 63 |
| 93 | Basics+ | 20021444-00014T11F | | 1.27mmMinitek | 1,722 | 1,722 | 1,722 | 63 |
| 94 | Basics+ | 20021444-00020T11F | | 1.27mmMinitek | 1,344 | 1,344 | 1,344 | 63 |
| 95 | Basics+ | 20021444-00026T4LF | | 1.27mmMinitek | 1,911 | 1,911 | 1,911 | 63 |
| 96 | Basics+ | 20021444-00060T4LF | | 1.27mmMinitek | 882 | 882 | 882 | 63 |
| 97 | Basics+ | 20021444-00068T4LF | | 1.27mmMinitek | 735 | 735 | 735 | 63 |
| 98 | Basics+ | 20021521-00006T4LF | | 1.27mmMinitek | 2,268 | 2,268 | 2,268 | 56 |
| 99 | Basics+ | 20021521-00010T4LF | | 1.27mmMinitek | 1,848 | 1,848 | 1,848 | 56 |
| 100 | Basics+ | 20021521-00014T4LF | | 1.27mmMinitek | 1,512 | 1,512 | 1,512 | 56 |
| 101 | Basics+ | 20021521-00016T4LF | | 1.27mmMinitek | 1,428 | 1,428 | 1,428 | 56 |
| 102 | Basics+ | 20021521-00026T11F | | 1.27mmMinitek | 1,728 | 1,728 | 1,728 | 56 |
| 103 | Basics+ | 20021521-00030T4LF | | 1.27mmMinitek | 1,584 | 1,584 | 1,584 | 56 |
| 104 | Basics+ | 20021611-00008T11F | | 1.27mmMinitek | 600 | 600 | 600 | 56 |
| 105 | Basics+ | 20021611-00008T11F | | 1.27mmMinitek | 560 | 560 | 560 | 56 |
| 106 | Basics+ | 20021611-00014T11F | | 1.27mmMinitek | 480 | 480 | 480 | 56 |
| 107 | Basics+ | 20021611-00016T11F | | 1.27mmMinitek | 440 | 440 | 440 | 56 |
| 108 | Basics+ | 20021611-00020T8LF | | 1.27mmMinitek | 400 | 400 | 400 | 56 |
| 109 | Basics+ | 20021611-00050T11F | | 1.27mmMinitek | 240 | 240 | 240 | 56 |
| 110 | Basics+ | 20021611-00064T11F | | 1.27mmMinitek | 200 | 200 | 200 | 56 |
| 111 | Basics+ | 20021612-00020T11F | | 1.27mmMinitek | 400 | 400 | 400 | 56 |
| 112 | Basics+ | 20021612-00020T8LF | | 1.27mmMinitek | 400 | 400 | 400 | 56 |
| 113 | Basics+ | 47750-0001F | | BentConCTWSystemPVTterminals.2.54mmPitch | 10,000 | 10,000 | 10,000 | 17 |
| 114 | Basics+ | 47750-0001F | | MINIPVCTW30AULP.22-26AWG.0065SPG | 10,000 | 10,000 | 10,000 | 21 |
| 115 | Basics+ | 48236-0001F | | MINIPVCTW30AULP.22-26AWG.0065SPG | 10,000 | 10,000 | 10,000 | 21 |
| 116 | Basics+ | 48245-0001F | | MINIPVCTW15AULP.22-26AWG.0048SPG | 10,000 | 10,000 | 10,000 | 14 |
| 117 | Basics+ | 48252-0001F | | MINIPVCTW15AULP | | | | |






















| | | | | | | | | |
|-----|---------|-----------------|---|--|--------|--------|--------|-----|
| 128 | Basics+ | 57202-G52-05ALF |  | MinitekunshroudedHeader, 2mm pitch, Double row, SMT, 10 positions, 30u" GoldorGXTplating | 750 | 750 | 750 | 24 |
| 129 | Basics+ | 57202-G52-06ALF | | MinitekunshroudedHeader, 2mm pitch, Double row, SMT, 12 positions, 30u" GoldorGXTplating | 750 | 750 | 750 | 24 |
| 130 | Basics+ | 57202-G52-08ALF |  | MinitekunshroudedHeader, 2mm pitch, Double row, SMT, 16 positions, 30u" GoldorGXTplating | 1,500 | 750 | 750 | 24 |
| 131 | Basics+ | 57202-G52-10ALF | | MinitekunshroudedHeader, 2mm pitch, Double row, SMT, 20 positions, 30u" GoldorGXTplating | 750 | 750 | 750 | 24 |
| 132 | Basics+ | 65039-020LF |  | MINILATCHHSGSR, 100 | 500 | 500 | 500 | 59 |
| 133 | Basics+ | 65039-027LF | | MINILATCHHSGSR, 100 | 500 | 500 | 500 | 59 |
| 134 | Basics+ | 65039-035LF | | MINILATCHHSGSR, 100 | 1,000 | 1,000 | 1,000 | 59 |
| 135 | Basics+ | 65043-020LF | | MINILATCHHSGDR, 100 | 400 | 400 | 400 | 59 |
| 136 | Basics+ | 65240-020LF |  | Dubox | 300 | 300 | 300 | 45 |
| 137 | Basics+ | 67954-001LF |  | MINILATCHHSGPOL | 3,000 | 1,000 | 3,000 | 59 |
| 138 | Basics+ | 67996-206HLF |  | Bergstik Straight | 800 | 400 | 800 | 14 |
| 139 | Basics+ | 67996-210HLF | | Bergstik Straight | 800 | 400 | 800 | 14 |
| 140 | Basics+ | 67997-108HLF |  | Bergstik Straight | 800 | 400 | 800 | 14 |
| 141 | Basics+ | 67997-472HLF | | Bergstik Straight | 200 | 100 | 200 | 14 |
| 142 | Basics+ | 68000-202HLF |  | Bergstik Straight | 5,000 | 5,000 | 5,000 | 14 |
| 143 | Basics+ | 68000-203HLF |  | Bergstik Straight | 4,000 | 4,000 | 4,000 | 14 |
| 144 | Basics+ | 68000-236HLF |  | Bergstik Straight | 400 | 200 | 400 | 14 |
| 145 | Basics+ | 68001-102HLF |  | Bergstik Straight | 5,000 | 5,000 | 5,000 | 7 |
| 146 | Basics+ | 68001-103HLF | | Bergstik Straight | 4,000 | 4,000 | 4,000 | 14 |
| 147 | Basics+ | 68001-208HLF |  | Bergstik Straight | 8,000 | 1,000 | 8,000 | 14 |
| 148 | Basics+ | 68001-236HLF |  | Bergstik Straight | 3,200 | 200 | 3,200 | 14 |
| 149 | Basics+ | 68002-404HLF |  | Bergstik Straight | 2,000 | 2,000 | 2,000 | 14 |
| 150 | Basics+ | 68021-172HLF | | Bergstik Straight | 300 | 300 | 300 | 14 |
| 151 | Basics+ | 68021-210HLF |  | Bergstik Straight | 800 | 800 | 800 | 14 |
| 152 | Basics+ | 68602-426HLF |  | Bergstik Straight | 400 | 200 | 400 | 14 |
| 153 | Basics+ | 69167-103HLF |  | Friction Latch Header, 2.54mm Pitch, Single Row, Straight, 3 Positions, 30u" GoldorGXTplating | 4,000 | 4,000 | 4,000 | 14 |
| 154 | Basics+ | 69167-104HLF | | Friction Latch Header, 2.54mm Pitch, Single Row, Straight, 4 Positions, 30u" GoldorGXTplating | 2,000 | 2,000 | 2,000 | 14 |
| 155 | Basics+ | 69167-110HLF | | Friction Latch Header, 2.54mm Pitch, Single Row, Straight, 10 Positions, 30u" GoldorGXTplating | 800 | 800 | 800 | 14 |
| 156 | Basics+ | 69168-106HLF |  | Friction Latch Header, 2.54mm Pitch, Double Row, Straight, 6 Positions, 30u" GoldorGXTplating | 2,000 | 2,000 | 2,000 | 14 |
| 157 | Basics+ | 69168-108HLF | | Friction Latch Header, 2.54mm Pitch, Double Row, Straight, 8 Positions, 30u" GoldorGXTplating | 2,000 | 2,000 | 2,000 | 14 |
| 158 | Basics+ | 69168-110HLF | | Friction Latch Header, 2.54mm Pitch, Double Row, Straight, 10 Positions, 30u" GoldorGXTplating | 1,000 | 1,000 | 1,000 | 14 |
| 159 | Basics+ | 69830-010LF |  | Quickie IDC PCB Connector, 2.54mm Pitch, Double Row, Straight, 10 Positions, 100u"~150u" pure Sn plating | 4,785 | 4,785 | 4,785 | 28 |
| 160 | Basics+ | 71600-050LF |  | IDC Quickie | 288 | 288 | 288 | 38 |
| 161 | Basics+ | 71918-140LF |  | IDC Quickie | 420 | 420 | 420 | 38 |
| 162 | Basics+ | 72454-014LF |  | IDC Quickie | 850 | 850 | 850 | 850 |
| 163 | Basics+ | 75867-102LF |  | IDC Quickie | 690 | 690 | 690 | 59 |
| 164 | Basics+ | 75867-132LF | | IDC Quickie | 700 | 100 | 100 | 59 |
| 165 | Basics+ | 75869-101LF |  | IDC Quickie | 870 | 870 | 870 | 45 |
| 166 | Basics+ | 75869-105LF |  | IDC Quickie | 840 | 420 | 420 | 45 |
| 167 | Basics+ | 75869-107LF |  | IDC Quickie | 600 | 300 | 300 | 45 |
| 168 | Basics+ | 75869-132LF | | IDC Quickie | 700 | 100 | 100 | 45 |
| 169 | Basics+ | 76342-302LF |  | Dubox PCB Receptacle, 2.54mm Pitch, Double Row, TMT, Vertical, 4 Positions, 30u" GoldorGXTplating | 500 | 100 | 500 | 38 |
| 170 | Basics+ | 76342-303LF | | Dubox PCB Receptacle, 2.54mm Pitch, Double Row, TMT, Vertical, 6 Positions, 30u" GoldorGXTplating | 500 | 100 | 500 | 38 |
| 171 | Basics+ | 76342-304LF | | Dubox PCB Receptacle, 2.54mm Pitch, Double Row, TMT, Vertical, 8 Positions, 30u" GoldorGXTplating | 500 | 100 | 500 | 38 |
| 172 | Basics+ | 76342-305LF | | Dubox PCB Receptacle, 2.54mm Pitch, Double Row, TMT, Vertical, 10 Positions, 30u" GoldorGXTplating | 506 | 46 | 506 | 38 |
| 173 | Basics+ | 76342-306LF | | Dubox PCB Receptacle, 2.54mm Pitch, Double Row, TMT, Vertical, 12 Positions, 30u" GoldorGXTplating | 342 | 38 | 342 | 38 |
| 174 | Basics+ | 76342-308LF |  | Dubox PCB Receptacle, 2.54mm Pitch, Double Row, TMT, Vertical, 16 Positions, 30u" GoldorGXTplating | 319 | 29 | 319 | 38 |
| 175 | Basics+ | 76342-310LF | | Dubox PCB Receptacle, 2.54mm Pitch, Double Row, TMT, Vertical, 20 Positions, 30u" GoldorGXTplating | 322 | 23 | 322 | 38 |
| 176 | Basics+ | 76357-401LF |  | DXCTWTPPRELP | 3,000 | 1,000 | 3,000 | 17 |
| 177 | Basics+ | 76382-302LF | | DXHDRSR, 100RADPSH | 1,500 | 500 | 1,500 | 52 |
| 178 | Basics+ | 76382-304LF | | Dubox | 1,000 | 500 | 1,000 | 52 |
| 179 | Basics+ | 76382-403LF | | Dubox | 1,000 | 500 | 1,000 | 52 |
| 180 | Basics+ | 76383-302LF | | DXHDRDR, 100RADPSH | 1,000 | 500 | 1,000 | 52 |
| 181 | Basics+ | 76383-303LF | | Dubox | 500 | 500 | 500 | 52 |
| 182 | Basics+ | 76383-307LF | | Dubox | 464 | 464 | 464 | 52 |
| 183 | Basics+ | 77138-101LF |  | Minitek TW Contact, 26AWG to 30AWG | 20,000 | 20,000 | 20,000 | 17 |
| 184 | Basics+ | 77311-118-04LF |  | Bergstikunshrouded Headers, 2.54mm Pitch, Single Row, TMT, Straight, 4 Positions, 30u" GoldorGXTplating | 2,000 | 1,000 | 2,000 | 17 |
| 185 | Basics+ | 77311-118-06LF | | Bergstikunshrouded Headers, 2.54mm Pitch, Single Row, TMT, Straight, 6 Positions, 30u" GoldorGXTplating | 2,000 | 500 | 500 | 24 |
| 186 | Basics+ | 77311-118-08LF | | Bergstikunshrouded Headers, 2.54mm Pitch, Single Row, TMT, Straight, 8 Positions, 30u" GoldorGXTplating | 500 | 500 | 500 | 24 |
| 187 | Basics+ | 77311-118-10LF | | Bergstikunshrouded Headers, 2.54mm Pitch, Single Row, TMT, Straight, 10 Positions, 30u" GoldorGXTplating | 1,000 | 500 | 500 | 24 |
| 188 | Basics+ | 77311-118-12LF |  | Bergstikunshrouded Headers, 2.54mm Pitch, Single Row, TMT, Straight, 12 Positions, 30u" GoldorGXTplating | 500 | 500 | 500 | 24 |
| 189 | Basics+ | 77311-118-16LF | | Bergstikunshrouded Headers, 2.54mm Pitch, Single Row, TMT, Straight, 16 Positions, 30u" GoldorGXTplating | 1,000 | 200 | 200 | 24 |
| 190 | Basics+ | 77311-118-20LF | | Bergstikunshrouded Headers, 2.54mm Pitch, Single Row, TMT, Straight, 20 Positions, 30u" GoldorGXTplating | 400 | 200 | 200 | 24 |
| 191 | Basics+ | 77313-118-04LF |  | Bergstikunshrouded Headers, 2.54mm Pitch, Double Row, TMT, Straight, 4 Positions, 30u" GoldorGXTplating | 2,000 | 1,000 | 1,000 | 24 |

| | | | | | | | | |
|-----|---------|----------------|---|--|----------------------|-------|-------|-------|
| 192 | Basics+ | 77313-118-06LF | | BergstikunshroudedHeaders2,54mmpitch,DoubleRow,TMT,Straight,6positions,30u"GoldorGXTplating | 2,000 | 1,000 | 1,000 | 24 |
| 193 | Basics+ | 77313-118-08LF | | BergstikunshroudedHeaders2,54mmpitch,DoubleRow,TMT,Straight,8positions,30u"GoldorGXTplating | 2,000 | 500 | 500 | 17 |
| 194 | Basics+ | 77313-118-10LF | | BergstikunshroudedHeaders2,54mmpitch,DoubleRow,TMT,Straight,10positions,30u"GoldorGXTplating | 1,000 | 500 | 500 | 17 |
| 195 | Basics+ | 77313-118-12LF | | BergstikunshroudedHeaders2,54mmpitch,DoubleRow,TMT,Straight,12positions,30u"GoldorGXTplating | 500 | 500 | 500 | 17 |
| 196 | Basics+ | 77313-118-16LF | | BergstikunshroudedHeaders2,54mmpitch,DoubleRow,TMT,Straight,16positions,30u"GoldorGXTplating | 1,000 | 500 | 500 | 17 |
| 197 | Basics+ | 77313-118-20LF | | BergstikunshroudedHeaders2,54mmpitch,DoubleRow,TMT,Straight,20positions,30u"GoldorGXTplating | 400 | 200 | 200 | 17 |
| 198 | Basics+ | 78207-108HLF | | FrictionLatchHeader,2,54mmPitch,DoubleRow,RightAngle,8Positions,30u"GoldorGXTplating | 2,000 | 2,000 | 2,000 | 14 |
| 199 | Basics+ | 78207-110HLF | | FrictionLatchHeader,2,54mmPitch,DoubleRow,RightAngle,10Positions,30u"GoldorGXTplating | 1,000 | 1,000 | 1,000 | 14 |
| 200 | Basics+ | 78207-112HLF | | FrictionLatchHeader,2,54mmPitch,DoubleRow,RightAngle,12Positions,30u"GoldorGXTplating | 800 | 800 | 800 | 14 |
| 201 | Basics+ | 78208-106HLF | | FrictionLatchHeader,2,54mmPitch | 2,000 | 2,000 | 2,000 | 14 |
| 202 | Basics+ | 78211-003LF | | | MINILATCHHSG.100CCSR | 1,000 | 1,000 | 1,000 |
| 203 | Basics+ | 87606-308LF | | Dubox | 377 | 377 | 377 | 38 |
| 204 | Basics+ | 89883-302LF | | DuboxPCBreceptacle,2,54mmpitch,DoubleRow,SMT,Horizontal,4positions,30u"GoldorGXTplating | 500 | 100 | 100 | 38 |
| 205 | Basics+ | 89883-303LF | | DuboxPCBreceptacle,2,54mmpitch,DoubleRow,SMT,Horizontal,6positions,30u"GoldorGXTplating | 500 | 100 | 100 | 38 |
| 206 | Basics+ | 89883-304LF | | DuboxPCBreceptacle,2,54mmpitch,DoubleRow,SMT,Horizontal,8positions,30u"GoldorGXTplating | 500 | 100 | 100 | 38 |
| 207 | Basics+ | 89883-305LF | | DuboxPCBreceptacle,2,54mmpitch,DoubleRow,SMT,Horizontal,10positions,30u"GoldorGXTplating | 506 | 46 | 506 | 38 |
| 208 | Basics+ | 89883-306LF | | DuboxPCBreceptacle,2,54mmpitch,DoubleRow,SMT,Horizontal,12positions,30u"GoldorGXTplating | 304 | 38 | 304 | 38 |
| 209 | Basics+ | 89883-308LF | | DuboxPCBreceptacle,2,54mmpitch,DoubleRow,SMT,Horizontal,16positions,30u"GoldorGXTplating | 319 | 29 | 319 | 38 |
| 210 | Basics+ | 89883-310LF | | DuboxPCBreceptacle,2,54mmpitch,DoubleRow,SMT,Horizontal,20positions,30u"GoldorGXTplating | 322 | 23 | 322 | 38 |
| 211 | Basics+ | 89898-302ALF | | DuboxPCBreceptacle,2,54mmpitch,DoubleRow,SMT,Vertical,4positions,30u"GoldorGXTplating | 1,300 | 650 | 650 | 59 |
| 212 | Basics+ | 89898-303ALF | | DuboxPCBreceptacle,2,54mmpitch,DoubleRow,SMT,Vertical,6positions,30u"GoldorGXTplating | 1,300 | 650 | 650 | 59 |
| 213 | Basics+ | 89898-304ALF | | DuboxPCBreceptacle,2,54mmpitch,DoubleRow,SMT,Vertical,8positions,30u"GoldorGXTplating | 1,300 | 650 | 650 | 59 |
| 214 | Basics+ | 89898-305ALF | | DuboxPCBreceptacle,2,54mmpitch,DoubleRow,SMT,Vertical,10positions,30u"GoldorGXTplating | 650 | 650 | 650 | 15 |
| 215 | Basics+ | 89898-306ALF | | DuboxPCBreceptacle,2,54mmpitch,DoubleRow,SMT,Vertical,12positions,30u"GoldorGXTplating | 1,300 | 650 | 650 | 15 |
| 216 | Basics+ | 89898-308ALF | | DuboxPCBreceptacle,2,54mmpitch,DoubleRow,SMT,Vertical,16positions,30u"GoldorGXTplating | 650 | 650 | 650 | 24 |
| 217 | Basics+ | 89898-310ALF | | DuboxPCBreceptacle,2,54mmpitch,DoubleRow,SMT,Vertical,20positions,30u"GoldorGXTplating | 1,300 | 650 | 650 | 15 |
| 218 | Basics+ | 90311-004LF | | MinitekCTWhousing,2mmpitch,DoubleRow,4positions | 1,000 | 250 | 250 | 115 |
| 219 | Basics+ | 90311-006LF | | MinitekCTWhousing,2mmpitch,DoubleRow,6positions | 1,000 | 250 | 250 | 115 |
| 220 | Basics+ | 90311-008LF | | MinitekCTWhousing,2mmpitch,DoubleRow,8positions | 1,000 | 250 | 250 | 115 |
| 221 | Basics+ | 90311-010LF | Minitek CTW housing, 2mm pitch, Double row, 10 positions | 1,000 | 1,000 | 1,000 | 115 | |
| 222 | Basics+ | 90311-012LF | Minitek CTW housing, 2mm pitch, Double row, 12 positions | 1,000 | 200 | 200 | 115 | |
| 223 | Basics+ | 90311-016LF | Minitek CTW housing, 2mm pitch, Double row, 16 positions | 1,000 | 200 | 200 | 115 | |
| 224 | Basics+ | 90311-020LF | Minitek CTW housing, 2mm pitch, Double row, 20 positions | 1,000 | 200 | 200 | 115 | |
| 225 | Basics+ | 90311-024LF | Minitek CTW housing, 2mm pitch, Double row, 24 positions | 1,000 | 500 | 500 | 115 | |
| 226 | Basics+ | 90311-028LF | Minitek CTW housing, 2mm pitch, Double row, 28 positions | 1,000 | 250 | 250 | 115 | |
| 227 | Basics+ | 91596-104LF | 2,00mm Minitek PCB Receptacles | 4,500 | 4,500 | 4,500 | 30 | |
| 228 | Basics+ | 91596-106LF | 2,00mm Minitek PCB Receptacles | 3,000 | 3,000 | 3,000 | 30 | |
| 229 | Basics+ | 91596-108LF | 2,00mm Minitek PCB Receptacles | 2,250 | 2,250 | 2,250 | 30 | |
| 230 | Basics+ | 91596-110LF | 2,00mm Minitek PCB Receptacles | 1,500 | 1,500 | 1,500 | 30 | |
| 231 | Basics+ | 91596-112LF | 2,00mm Minitek PCB Receptacles | 1,500 | 1,500 | 1,500 | 30 | |
| 232 | Basics+ | 91596-116LF | 2,00mm Minitek PCB Receptacles | 1,110 | 1,110 | 1,110 | 30 | |
| 233 | Basics+ | 91596-120LF | 2,00mm Minitek PCB Receptacles | 900 | 900 | 900 | 30 | |
| 234 | Basics+ | 91601-302LF | Dubox PCB receptacle, 2,54mm pitch, Single Row, SMT, Vertical, 4 positions, 30u" Gold or GXT plating | 1,500 | 500 | 500 | 38 | |
| 235 | Basics+ | 91601-303ALF | Dubox PCB receptacle, 2,54mm pitch, Single Row, SMT, Vertical, 6 positions, 30u" Gold or GXT plating | 1,200 | 600 | 600 | 38 | |
| 236 | Basics+ | 91601-304ALF | Dubox PCB receptacle, 2,54mm pitch, Single Row, SMT, Vertical, 8 positions, 30u" Gold or GXT plating | 1,200 | 600 | 600 | 38 | |
| 237 | Basics+ | 91601-305ALF | Dubox PCB receptacle, 2,54mm pitch, Single Row, SMT, Vertical, 10 positions, 30u" Gold or GXT plating | 1,200 | 600 | 600 | 24 | |
| 238 | Basics+ | 91601-306ALF | Dubox PCB receptacle, 2,54mm pitch, Single Row, SMT, Vertical, 12 positions, 30u" Gold or GXT plating | 1,200 | 600 | 600 | 24 | |
| 239 | Basics+ | 91601-308ALF | Dubox PCB receptacle, 2,54mm pitch, Single Row, SMT, Vertical, 16 positions, 30u" Gold or GXT plating | 600 | 600 | 600 | 24 | |
| 240 | Basics+ | 91601-310ALF | Dubox PCB receptacle, 2,54mm pitch, Single Row, SMT, Vertical, 20 positions, 30u" Gold or GXT plating | 800 | 400 | 400 | 24 | |
| 241 | Basics+ | 95278-101A04LF | Bergstik unshrouded Headers 2,54mm pitch, Double Row, SMT, Straight, 4 positions, 30u" Gold or GXT plating | 1,200 | 300 | 300 | 24 | |
| 242 | Basics+ | 95278-101A06LF | Bergstik unshrouded Headers 2,54mm pitch, Double Row, SMT, Straight, 6 positions, 30u" Gold or GXT plating | 1,050 | 350 | 350 | 17 | |
| 243 | Basics+ | 95278-101A08LF | Bergstik unshrouded Headers 2,54mm pitch, Double Row, SMT, Straight, 8 positions, 30u" Gold or GXT plating | 1,200 | 300 | 300 | 17 | |
| 244 | Basics+ | 95278-101A10LF | Bergstik unshrouded Headers 2,54mm pitch, Double Row, SMT, Straight, 10 positions, 30u" Gold or GXT plating | 900 | 300 | 300 | 17 | |
| 245 | Basics+ | 95278-101A12LF | Bergstik unshrouded Headers 2,54mm pitch, Double Row, SMT, Straight, 12 positions, 30u" Gold or GXT plating | 600 | 300 | 300 | 17 | |
| 246 | Basics+ | 95278-101A16LF | Bergstik unshrouded Headers 2,54mm pitch, Double Row, SMT, Straight, 16 positions, 30u" Gold or GXT plating | 600 | 300 | 300 | 17 | |
| 247 | Basics+ | 95278-101A20LF | Bergstik unshrouded Headers 2,54mm pitch, Double Row, SMT, Straight, 20 positions, 30u" Gold or GXT plating | 600 | 300 | 300 | 17 | |
| 248 | Basics+ | 95293-101-04LF | Bergstik unshrouded Headers 2,54mm pitch, Single Row, SMT, Straight, 4 positions, 30u" Gold or GXT plating | 1,000 | 1,000 | 1,000 | 24 | |
| 249 | Basics+ | 95293-101-06LF | Bergstik unshrouded Headers 2,54mm pitch, Single Row, SMT, Straight, 6 positions, 30u" Gold or GXT plating | 500 | 500 | 500 | 24 | |
| 250 | Basics+ | 95293-101-08LF | Bergstik unshrouded Headers 2,54mm pitch, Single Row, SMT, Straight, 8 positions, 30u" Gold or GXT plating | 500 | 500 | 500 | 24 | |
| 251 | Basics+ | 95293-101-10LF | Bergstik unshrouded Headers 2,54mm pitch, Single Row, SMT, Straight, 10 positions, 30u" Gold or GXT plating | 500 | 500 | 500 | 24 | |
| 252 | Basics+ | 95293-101-12LF | Bergstik unshrouded Headers 2,54mm pitch, Single Row, SMT, Straight, 12 positions, 30u" Gold or GXT plating | 500 | 500 | 500 | 24 | |
| 253 | Basics+ | 95293-101-16LF | Bergstik unshrouded Headers 2,54mm pitch, Single Row, SMT, Straight, 16 positions, 30u" Gold or GXT plating | 600 | 200 | 200 | 24 | |

| | | | | | | | | |
|-----|----------------|-------------------|--|--|--------|--------|--------|----|
| 254 | Basics+ | 98414-G06-04LF | | Minitek Shrouded Header, 2mm pitch, Double row, TMT, 4 positions, 30u" Gold or GXT plating | 1,000 | 200 | 200 | 24 |
| 255 | Basics+ | 98414-G06-06ULF | | Minitek Shrouded Header, 2mm pitch, Double row, TMT, 6 positions, 30u" Gold or GXT plating | 1,080 | 72 | 720 | 24 |
| 256 | Basics+ | 98414-G06-08ULF | | Minitek Shrouded Header, 2mm pitch, Double row, TMT, 8 positions, 30u" Gold or GXT plating | 728 | 56 | 560 | 24 |
| 257 | Basics+ | 98414-G06-10ULF | | Minitek Shrouded Header, 2mm pitch, Double row, TMT, 10 positions, 30u" Gold or GXT plating | 611 | 47 | 470 | 24 |
| 258 | Basics+ | 98414-G06-12ULF | | Minitek Shrouded Header, 2mm pitch, Double row, TMT, 12 positions, 30u" Gold or GXT plating | 520 | 40 | 40 | 24 |
| 259 | Basics+ | 98414-G06-16ULF | | Minitek Shrouded Header, 2mm pitch, Double row, TMT, 16 positions, 30u" Gold or GXT plating | 589 | 31 | 310 | 24 |
| 260 | Basics+ | 98414-G06-20ULF | | Minitek Shrouded Header, 2mm pitch, Double row, TMT, 20 positions, 30u" Gold or GXT plating | 475 | 25 | 250 | 24 |
| 261 | Basics+ | 98423-G61-03LF |  | Minitek Shrouded Header, 2mm pitch, Double row, Right-angle TMT, 3 positions, 30u" Gold or GXT plating | 1,500 | 500 | 500 | 24 |
| 262 | Basics+ | 98424-F52-10ALF | | | 1,200 | 600 | 600 | 17 |
| 263 | Basics+ | 98424-G52-04ALF | | Minitek Shrouded Header, 2mm pitch, Double row, SMT, 4 positions, 30u" Gold or GXT plating | 750 | 750 | 750 | 17 |
| 264 | Basics+ | 98424-G52-06ALF | | Minitek Shrouded Header, 2mm pitch, Double row, SMT, 6 positions, 30u" Gold or GXT plating | 750 | 750 | 750 | 17 |
| 265 | Basics+ | 98424-G52-08ALF | | Minitek Shrouded Header, 2mm pitch, Double row, SMT, 8 positions, 30u" Gold or GXT plating | 750 | 750 | 750 | 17 |
| 266 | Basics+ | 98424-G52-10ALF | | Minitek Shrouded Header, 2mm pitch, Double row, SMT, 10 positions, 30u" Gold or GXT plating | 600 | 600 | 600 | 17 |
| 267 | Basics+ | 98424-G52-12ALF | | Minitek Shrouded Header, 2mm pitch, Double row, SMT, 12 positions, 30u" Gold or GXT plating | 600 | 600 | 600 | 17 |
| 268 | Basics+ | 98424-G52-16ALF | | Minitek Shrouded Header, 2mm pitch, Double row, SMT, 16 positions, 30u" Gold or GXT plating | 600 | 600 | 600 | 17 |
| 269 | Basics+ | 98424-G52-20ALF | | Minitek Shrouded Header, 2mm pitch, Double row, SMT, 20 positions, 30u" Gold or GXT plating | 600 | 600 | 600 | 24 |
| 270 | Basics+ | 98464-G61-10LF | | | 600 | 200 | 600 | 24 |
| 271 | D-Subminiature | 1009097-P154VLF | | Low-Cost D-Subminiature | 1,540 | 770 | 1,540 | 63 |
| 272 | D-Subminiature | 1009098-S094LLF |  | Low-Cost D-Subminiature | 1,980 | 990 | 1,980 | 63 |
| 273 | D-Subminiature | 1009098-S374VLF | | Low-Cost D-Subminiature | 1,320 | 440 | 1,320 | 63 |
| 274 | D-Subminiature | 863001018TLF |  | D-Subminiature Accessories | 1,000 | 1,000 | 1,000 | 84 |
| 275 | D-Subminiature | 86551167TLF |  | D-Subminiature Accessories | 1,000 | 1,000 | 1,000 | 84 |
| 276 | D-Subminiature | 8655MH1511LF |  | | 150 | 50 | 50 | 66 |
| 277 | D-Subminiature | 8655MHRA0901LF |  | D-Subminiature Accessories | 300 | 100 | 100 | 24 |
| 278 | D-Subminiature | 865609PLTXLF |  | Low-Cost D-Subminiature | 400 | 200 | 200 | 28 |
| 279 | D-Subminiature | 865615SLTLF | | Low-Cost D-Subminiature | 400 | 200 | 200 | 28 |
| 280 | Mezzanine | 10106813-021112LF | | MezzoStak | 1,000 | 1,000 | 1,000 | 42 |
| 281 | Mezzanine | 10106813-024112LF | | MezzoStak | 800 | 800 | 800 | 42 |
| 282 | Mezzanine | 10106813-031112LF | | MezzoStak | 1,000 | 1,000 | 1,000 | 42 |
| 283 | Mezzanine | 10106813-034112LF | | MezzoStak | 800 | 800 | 800 | 42 |
| 284 | Mezzanine | 10106813-041112LF | | MezzoStak | 1,000 | 1,000 | 1,000 | 42 |
| 285 | Mezzanine | 10106813-044112LF | | MezzoStak | 800 | 800 | 800 | 42 |
| 286 | Mezzanine | 10106813-051112LF | | MezzoStak | 1,000 | 1,000 | 1,000 | 42 |
| 287 | Mezzanine | 10106813-054112LF | | MezzoStak | 800 | 800 | 800 | 42 |
| 288 | Mezzanine | 10106813-061112LF | | MezzoStak | 1,000 | 1,000 | 1,000 | 42 |
| 289 | Mezzanine | 10106813-064112LF | | MezzoStak | 800 | 800 | 800 | 42 |
| 290 | Mezzanine | 10106813-071112LF | | MezzoStak | 1,000 | 1,000 | 1,000 | 42 |
| 291 | Mezzanine | 10106813-074112LF | | MezzoStak | 800 | 800 | 800 | 42 |
| 292 | Mezzanine | 10114826-00002LF | | 1.25mm Wire-to-board | 6,000 | 3,000 | 3,000 | 42 |
| 293 | Mezzanine | 10114826-00003LF | | 1.25mm Wire-to-board | 6,000 | 3,000 | 3,000 | 42 |
| 294 | Mezzanine | 10114826-00004LF | | 1.25mm Wire-to-board | 6,000 | 3,000 | 3,000 | 42 |
| 295 | Mezzanine | 10114826-00006LF | | 1.25mm Wire-to-board | 6,000 | 3,000 | 3,000 | 42 |
| 296 | Mezzanine | 10114826-00008LF | | 1.25mm Wire-to-board | 6,000 | 3,000 | 3,000 | 42 |
| 297 | Mezzanine | 10114827-0011LF |  | 1.25mm Wire-to-board | 60,000 | 60,000 | 60,000 | 42 |
| 298 | Mezzanine | 10114828-10102LF | | 1.25mm Wire-to-board | 3,000 | 1,000 | 1,000 | 42 |
| 299 | Mezzanine | 10114828-10103LF | | 1.25mm Wire-to-board | 3,000 | 1,000 | 1,000 | 42 |
| 300 | Mezzanine | 10114828-10104LF | | 1.25mm Wire-to-board | 3,000 | 1,000 | 1,000 | 42 |
| 301 | Mezzanine | 10114828-10106LF | | 1.25mm Wire-to-board | 3,000 | 1,000 | 1,000 | 42 |
| 302 | Mezzanine | 10114828-10108LF | | 1.25mm Wire-to-board | 3,000 | 1,000 | 1,000 | 42 |
| 303 | Mezzanine | 10114829-10102LF |  | 1.25mm Wire-to-board | 4,200 | 1,400 | 1,400 | 42 |
| 304 | Mezzanine | 10114829-10103LF | | 1.25mm Wire-to-board | 4,200 | 1,400 | 1,400 | 42 |
| 305 | Mezzanine | 10114829-10104LF | | 1.25mm Wire-to-board | 4,200 | 1,400 | 1,400 | 42 |
| 306 | Mezzanine | 10114829-10106LF | | 1.25mm Wire-to-board | 4,200 | 1,400 | 1,400 | 42 |
| 307 | Mezzanine | 10114829-10108LF | | 1.25mm Wire-to-board | 4,200 | 1,400 | 1,400 | 42 |
| 308 | Mezzanine | 10114830-10102LF | | 1.25mm Wire-to-board | 3,900 | 1,300 | 1,300 | 42 |
| 309 | Mezzanine | 10114830-10103LF | | 1.25mm Wire-to-board | 3,900 | 1,300 | 1,300 | 42 |
| 310 | Mezzanine | 10114830-10104LF | | 1.25mm Wire-to-board | 3,900 | 1,300 | 1,300 | 42 |
| 311 | Mezzanine | 10114830-10106LF | | 1.25mm Wire-to-board | 3,900 | 1,300 | 1,300 | 42 |
| 312 | Mezzanine | 10114830-10108LF | | 1.25mm Wire-to-board | 3,900 | 1,300 | 1,300 | 42 |
| 313 | Mezzanine | 10114831-10102LF | | 1.25mm Wire-to-board | 3,000 | 1,000 | 1,000 | 42 |
| 314 | Mezzanine | 10114831-10103LF | | 1.25mm Wire-to-board | 3,000 | 1,000 | 1,000 | 42 |
| 315 | Mezzanine | 10114831-10104LF | | 1.25mm Wire-to-board | 3,000 | 1,000 | 1,000 | 42 |
| 316 | Mezzanine | 10114831-10106LF | | 1.25mm Wire-to-board | 3,000 | 1,000 | 1,000 | 42 |
| 317 | Mezzanine | 10114831-10108LF | | 1.25mm Wire-to-board | 3,000 | 1,000 | 1,000 | 42 |
| 318 | Mezzanine | 61082-041402LF | | BergStak 0.8mm | 800 | 800 | 800 | 16 |
| 319 | Mezzanine | 61082-061402LF | | BergStak 0.8mm | 800 | 800 | 800 | 16 |
| 320 | Mezzanine | 61082-081402LF | | BergStak 0.8mm | 800 | 800 | 800 | 16 |
| 321 | Mezzanine | 61082-101402LF | | BergStak 0.8mm | 800 | 800 | 800 | 23 |
| 322 | Mezzanine | 61082-121402LF | | BergStak 0.8mm | 800 | 800 | 800 | 23 |
| 323 | Mezzanine | 61082-141402LF | | BergStak 0.8mm | 700 | 700 | 700 | 23 |
| 324 | Mezzanine | 61083-041402LF | | BergStak 0.8mm | 900 | 900 | 900 | 23 |
| 325 | Mezzanine | 61083-044402LF |  | BergStak 0.8mm | 600 | 600 | 600 | 23 |
| 326 | Mezzanine | 61083-061402LF | | BergStak 0.8mm | 900 | 900 | 900 | 23 |
| 327 | Mezzanine | 61083-064402LF | | BergStak 0.8mm | 600 | 600 | 600 | 23 |
| 328 | Mezzanine | 61083-081402LF | | BergStak 0.8mm | 900 | 900 | 900 | 23 |
| 329 | Mezzanine | 61083-084402LF | | BergStak 0.8mm | 400 | 400 | 400 | 23 |
| 330 | Mezzanine | 61083-101402LF | | BergStak 0.8mm | 650 | 650 | 650 | 23 |
| 331 | Mezzanine | 61083-104402LF | | BergStak 0.8mm | 400 | 400 | 400 | 23 |
| 332 | Mezzanine | 61083-121402LF | | BergStak 0.8mm | 650 | 650 | 650 | 23 |
| 333 | Mezzanine | 61083-124402LF | | BergStak 0.8mm | 400 | 400 | 400 | 23 |
| 334 | Mezzanine | 61083-141402LF | | BergStak 0.8mm | 650 | 650 | 650 | 23 |
| 335 | Mezzanine | 61083-144402LF | | BergStak 0.8mm | 400 | 400 | 400 | 23 |
| 336 | Mezzanine | 87024-615LF | | Rib-Cage | 1,080 | 1,080 | 1,080 | 56 |
| 337 | Mezzanine | 87024-620LF |  | Rib-Cage | 840 | 840 | 840 | 56 |
| 338 | Mezzanine | 87024-650LF | | Rib-Cage | 360 | 360 | 360 | 56 |
| 339 | Miniature | 10051922-1010ELF | | 0.5mm pitch 1.2mm height ZIF (Flip actuator) Bottom side contact | 4,500 | 4,500 | 4,500 | 30 |
| 340 | Miniature | 10051922-1210ELF | | | 4,500 | 4,500 | 4,500 | 30 |
| 341 | Miniature | 10051922-2010ELF |  | 0.5mm pitch 1.2mm height ZIF (Flip actuator) Bottom side contact | 4,500 | 4,500 | 4,500 | 30 |
| 342 | Miniature | 10051922-3010ELF | | 0.5mm pitch 1.2mm height ZIF (Flip actuator) Bottom side contact | 4,500 | 4,500 | 4,500 | 30 |

| | | | | | | | | | |
|-----|-----------|------------------|---|---|--------|--------|-------|-------|----|
| 343 | Miniature | 10085901-6015ELF |  | 0.5mm pitch 2.0mm height ZIF (Flip Actuator) | 3,000 | 3,000 | 3,000 | 56 | |
| 344 | Miniature | 62674-201121ALF |  | SFV Series | 3,000 | 1,000 | 1,000 | 35 | |
| 345 | Miniature | 62674-241121ALF | | SFV Series | 1,000 | 1,000 | 1,000 | 35 | |
| 346 | Miniature | 62674-301121ALF | | SFV Series | 1,000 | 1,000 | 1,000 | 35 | |
| 347 | Miniature | 62674-321121ALF | | SFV Series | 1,000 | 1,000 | 1,000 | 35 | |
| 348 | Miniature | 62684-342100ALF |  | 0.5mm pitch OPU Series | 4,000 | 4,000 | 4,000 | 93 | |
| 349 | Miniature | 62684-401100ALF | | 0.5mm pitch 2.0mm height ZIF Right Angle - Bottom side contact | 4,000 | 4,000 | 4,000 | 93 | |
| 350 | Miniature | 62684-45110E9ALF |  | 0.5mm pitch OPU Series | 500 | 500 | 4,000 | 93 | |
| 351 | Miniature | 62684-45210E9ALF | | 0.5mm pitch 2.0mm height ZIF Right Angle - Top side contact | 500 | 500 | 500 | 93 | |
| 352 | Miniature | 62684-50110E9ALF | | 0.5mm pitch 2.0mm height ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 93 | |
| 353 | Miniature | 62684-5521N0ALF |  | 0.5mm pitch OPU Series | 4,000 | 4,000 | 500 | 93 | |
| 354 | Miniature | 65801-017LF |  | Clincher Receptacle Assembly | 400 | 100 | 400 | 28 | |
| 355 | Miniature | 66226-003LF |  | Clincher Pin Assembly | 1,200 | 100 | 1,200 | 28 | |
| 356 | Miniature | 66226-010LF | | Clincher Pin Assembly | 800 | 100 | 800 | 28 | |
| 357 | Miniature | HFV12R-1STE9LF |  | 1.0mm pitch 1.9mm height Non ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 37 | |
| 358 | Miniature | HFV14R-1STE9MTLF | | 1.0mm pitch 3.1mm height Non ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 37 | |
| 359 | Miniature | HFV14S-2STE9LF | | 1.0mm pitch 3.1mm height Non ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 65 | |
| 360 | Miniature | HFV18S-2STE9LF | | 1.0mm pitch 5.3mm height Non ZIF Right Angle - Top side contact | 500 | 500 | 500 | 65 | |
| 361 | Miniature | HFV20R-1STE1MTLF | | 1.0mm pitch 3.1mm height Non ZIF Right Angle - Bottom side contact | 4,000 | 2,000 | 2,000 | 37 | |
| 362 | Miniature | HFV20R-1STE9LF | | 1.0mm pitch 1.9mm height Non ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 37 | |
| 363 | Miniature | HFV27S-2STE9LF | | 1.0mm pitch 5.3mm height Non ZIF Right Angle - Top side contact | 500 | 500 | 500 | 65 | |
| 364 | Miniature | HFV4R-1STE1MTLF | | 1.0mm pitch 3.1mm height Non ZIF Right Angle - Bottom side contact | 4,000 | 2,000 | 2,000 | 37 | |
| 365 | Miniature | HFV4R-1STE9LF | | 1.0mm pitch 1.9mm height Non ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 37 | |
| 366 | Miniature | HFV4R-2STE9LF | | 1.0mm pitch 1.9mm height Non ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 37 | |
| 367 | Miniature | HFV5S-2STE9LF | | 1.0mm pitch 5.3mm height Non ZIF Right Angle - Top side contact | 500 | 500 | 500 | 65 | |
| 368 | Miniature | HFV6R-1STE1MTLF | | 1.0mm pitch 3.1mm height Non ZIF Right Angle - Bottom side contact | 4,000 | 2,000 | 2,000 | 37 | |
| 369 | Miniature | HFV6R-1STE9LF | | 1.0mm pitch 1.9mm height Non ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 37 | |
| 370 | Miniature | HFV8R-1STE1MTLF | | 1.0mm pitch 3.1mm height Non ZIF Right Angle - Bottom side contact | 4,000 | 2,000 | 2,000 | 37 | |
| 371 | Miniature | HFV8R-1STE9LF | | 1.0mm pitch 1.9mm height Non ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 37 | |
| 372 | Miniature | HLEM11R-1RLF | |  | | 12,000 | 2,400 | 2,400 | 37 |
| 373 | Miniature | HLEM12R-1RLF | | | | 13,440 | 2,240 | 2,240 | 37 |
| 374 | Miniature | HLEM14S-1RLF | | | | 10,080 | 1,680 | 1,680 | 37 |
| 375 | Miniature | HLEM15R-1RLF | | | | 9,600 | 1,920 | 1,920 | 37 |
| 376 | Miniature | HLEM16R-1RLF | | | 8,800 | 1,760 | 1,760 | 37 | |
| 377 | Miniature | HLEM16S-1RLF | | | 9,240 | 1,540 | 1,540 | 37 | |
| 378 | Miniature | HLEM17S-1RLF | | | 3,080 | 1,540 | 1,540 | 37 | |
| 379 | Miniature | HLEM19S-1RLF | | | 2,800 | 1,400 | 1,400 | 37 | |
| 380 | Miniature | HLEM20R-1RLF | | | 10,080 | 1,440 | 1,440 | 37 | |
| 381 | Miniature | HLEM20S-1RLF | | | 10,080 | 1,260 | 1,260 | 37 | |
| 382 | Miniature | HLEM26S-1RLF |  | | 5,880 | 980 | 980 | 37 | |
| 383 | Miniature | HLEM28S-1RLF | | | 5,880 | 980 | 980 | 37 | |
| 384 | Miniature | HLEM30S-1RLF | | | 5,880 | 840 | 840 | 37 | |
| 385 | Miniature | HLEM34S-1RLF | | | 5,040 | 840 | 840 | 37 | |
| 386 | Miniature | HLEM7R-1RLF | | 20,160 | 3,360 | 3,360 | 37 | | |
| 387 | Miniature | HLW15S-2C7LF |  | | 9,450 | 3,150 | 3,150 | 30 | |
| 388 | Miniature | HLW16R-2C7LF | | | 8,400 | 2,100 | 2,100 | 30 | |
| 389 | Miniature | HLW20R-2C7LF | | | 8,250 | 1,650 | 1,650 | 30 | |
| 390 | Miniature | HLW4S-2C7LF | | | 16,800 | 8,400 | 8,400 | 44 | |
| 391 | Miniature | SFV10R-1STE9HLF |  | 0.5mm pitch 1.8mm height ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 37 | |
| 392 | Miniature | SFV14R-1STE9HLF | | 0.5mm pitch 1.8mm height ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 37 | |
| 393 | Miniature | SFV18R-1STE9HLF | | 0.5mm pitch 1.8mm height ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 37 | |
| 394 | Miniature | SFV20R-2STE9HLF | | 0.5mm pitch 1.8mm height ZIF Right Angle - Top side contact | 500 | 500 | 500 | 37 | |
| 395 | Miniature | SFV30R-1STE9HLF | | 0.5mm pitch 1.8mm height ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 37 | |
| 396 | Miniature | SFV35R-1STE9HLF | | 0.5mm pitch 1.8mm height ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 37 | |
| 397 | Miniature | SFV4R-1STE9HLF | | 0.5mm pitch 1.8mm height ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 37 | |
| 398 | Miniature | SFV5R-1STE9HLF | | 0.5mm pitch 1.8mm height ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 37 | |
| 399 | Miniature | SFV8R-2STE9HLF | | 0.5mm pitch 1.8mm height ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 37 | |
| 400 | Miniature | SFW10R-1STE9LF |  | 1.0mm pitch 4.0mm height ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 51 | |
| 401 | Miniature | SFW10S-2STE9LF | | 1.0mm pitch 5.5mm height ZIF Vertical | 500 | 500 | 500 | 58 | |
| 402 | Miniature | SFW10S-2STME9LF | | 500 | 500 | 500 | 58 | | |
| 403 | Miniature | SFW12R-2STE9LF |  | 1.0mm pitch 4.0mm height ZIF Right Angle - Top side contact | 500 | 500 | 500 | 51 | |
| 404 | Miniature | SFW16R-1STE9LF | | | 500 | 500 | 500 | 51 | |
| 405 | Miniature | SFW16S-2STE9LF |  | 1.0mm pitch 5.5mm height ZIF Vertical | 500 | 500 | 500 | 58 | |
| 406 | Miniature | SFW24R-2STE9LF | | 1.0mm pitch 4.0mm height ZIF Right Angle - Top side contact | 500 | 500 | 500 | 51 | |
| 407 | Miniature | SFW26R-2STE1LF | | 4,000 | 4,000 | 4,000 | 51 | | |
| 408 | Miniature | SFW30R-1STE9LF | | 500 | 500 | 500 | 51 | | |
| 409 | Miniature | SFW30S-2STE9LF | | 500 | 500 | 500 | 58 | | |
| 410 | Miniature | SFW4R-1STE9LF |  | 1.0mm pitch 4.0mm height ZIF Right Angle - Bottom side contact | 500 | 500 | 500 | 51 | |
| 411 | Miniature | SFW4S-2STE9LF | | | 500 | 500 | 500 | 58 | |
| 412 | Miniature | SFW5R-1STE9LF | | | 500 | 500 | 500 | 51 | |
| 413 | Miniature | SFW6R-4STE1LF | | | 4,000 | 4,000 | 500 | 51 | |
| 414 | Miniature | SFW6S-2STE9LF | | | 500 | 500 | 500 | 58 | |

| | | | | | | | | | |
|-----|------------------|------------------|---|--------------------------------|--|--------|-------|-------|------|
| 415 | Minitex | 55508-104LF | | 2.00mm Minitex PCB Receptacles | | 4,500 | 4,500 | 4,500 | 30 |
| 416 | Minitex | 55508-106LF | | 2.00mm Minitex PCB Receptacles | | 3,000 | 3,000 | 3,000 | 30 |
| 417 | Minitex | 55508-108LF | | 2.00mm Minitex PCB Receptacles | | 2,250 | 2,250 | 2,250 | 30 |
| 418 | Minitex | 55508-110LF | | 2.00mm Minitex PCB Receptacles | | 1,800 | 1,800 | 1,800 | 30 |
| 419 | Minitex | 55508-112LF | | 2.00mm Minitex PCB Receptacles | | 1,500 | 1,500 | 1,500 | 30 |
| 420 | Minitex | 55508-116LF | | 2.00mm Minitex PCB Receptacles | | 1,110 | 1,110 | 1,110 | 30 |
| 421 | Minitex | 55508-120LF | | 2.00mm Minitex PCB Receptacles | | 900 | 900 | 900 | 30 |
| 422 | Minitex | 55510-104LF | | 2.00mm Minitex PCB Receptacles | | 4,500 | 4,500 | 4,500 | 30 |
| 423 | Minitex | 55510-106LF | | 2.00mm Minitex PCB Receptacles | | 3,000 | 3,000 | 3,000 | 30 |
| 424 | Minitex | 55510-108LF | | 2.00mm Minitex PCB Receptacles | | 2,250 | 2,250 | 2,250 | 30 |
| 425 | Minitex | 55510-110LF | | 2.00mm Minitex PCB Receptacles | | 1,800 | 1,800 | 1,800 | 30 |
| 426 | Minitex | 55510-112LF | | 2.00mm Minitex PCB Receptacles | | 1,500 | 1,500 | 1,500 | 30 |
| 427 | Minitex | 55510-116LF | | 2.00mm Minitex PCB Receptacles | | 1,110 | 1,110 | 1,110 | 30 |
| 428 | Minitex | 55510-120LF | | 2.00mm Minitex PCB Receptacles | | 900 | 900 | 900 | 30 |
| 429 | Minitex | 63453-104LF | | 2.00mm Minitex PCB Receptacles | | 5,000 | 5,000 | 5,000 | 51 |
| 430 | Minitex | 63453-106LF | | 2.00mm Minitex PCB Receptacles | | 5,000 | 5,000 | 5,000 | 51 |
| 431 | Minitex | 63453-108LF | | 2.00mm Minitex PCB Receptacles | | 3,000 | 3,000 | 3,000 | 16 |
| 432 | Minitex | 63453-110LF | | 2.00mm Minitex PCB Receptacles | | 3,000 | 3,000 | 3,000 | 16 |
| 433 | Minitex | 63453-112LF | | 2.00mm Minitex PCB Receptacles | | 2,000 | 2,000 | 2,000 | 51 |
| 434 | Minitex | 63453-116LF | | 2.00mm Minitex PCB Receptacles | | 2,000 | 2,000 | 2,000 | 51 |
| 435 | Minitex | 63453-120LF | | 2.00mm Minitex PCB Receptacles | | 1,500 | 1,500 | 1,500 | 16 |
| 436 | Modules/ Rect IO | 10017963-D050TLF | | PC Card/Header | | 600 | 600 | 600 | 28 |
| 437 | Modules/ Rect IO | 10017963-E050TLF | | PC Card/Header | | 600 | 600 | 600 | 28 |
| 438 | Modules/ Rect IO | 10029449-001RLF |  | | | 2,000 | 2,000 | 2,000 | 35 |
| 439 | Modules/ Rect IO | 10029449-111RLF | | | | 20,000 | 4,000 | 4,000 | 42 |
| 440 | Modules/ Rect IO | 10030570-2112LF |  | Express Cards | | 2,520 | 2,520 | 2,520 | 28 |
| 441 | Modules/ Rect IO | 10033853-052FSLF |  | Memory Connectors | | 700 | 700 | 700 | 35 |
| 442 | Modules/ Rect IO | 10037402-11207LF | | Memory Connectors | | 2,688 | 336 | 336 | 63 |
| 443 | Modules/ Rect IO | 10037501-002LF | | Modular Jacks | | 2,400 | 480 | 480 | 21 |
| 444 | Modules/ Rect IO | 10052286-13308LF | | Memory Connectors | | 1,008 | 336 | 336 | 28 |
| 445 | Modules/ Rect IO | 10057542-1111FLF | | Smart Card | | 4,760 | 340 | 340 | 7 |
| 446 | Modules/ Rect IO | 10057542-1211PLF |  | Smart Card | | 4,800 | 400 | 400 | 56 |
| 447 | Modules/ Rect IO | 10067847-001RLF | | Smart Card | | 4,500 | 900 | 900 | 63 |
| 448 | Modules/ Rect IO | 10067972-000LF | | PC Card/Header | | 3,840 | 240 | 240 | 28 |
| 449 | Modules/ Rect IO | 10067972-050LF | | PC Card/Header | | 2,880 | 240 | 240 | 28 |
| 450 | Modules/ Rect IO | 10081530-12207LF | | Memory Connectors | | 1,680 | 336 | 336 | 63 |
| 451 | Modules/ Rect IO | 10081530-12217LF |  | Memory Connectors | | 1,680 | 336 | 336 | 63 |
| 452 | Modules/ Rect IO | 10083950-10007 | | Memory Connectors | | 336 | 336 | 336 | 28 |
| 453 | Modules/ Rect IO | 10103594-0001LF | | USB | | 15,000 | 3,000 | 3,000 | 21 |
| 454 | Modules/ Rect IO | 52400-25ALF |  | Smart Card | | 2,400 | 400 | 400 | 56 |
| 455 | Modules/ Rect IO | 52436-25FLF | | Smart Card | | 2,400 | 400 | 400 | 35 |
| 456 | Modules/ Rect IO | 52515-21108LF | | Memory Connectors | | 1,344 | 336 | 336 | 28 |
| 457 | Modules/ Rect IO | 54020-44030LF |  | Sockets | | 3,500 | 3,500 | 3,500 | 28 |
| 458 | Modules/ Rect IO | 54020-68030LF |  | Sockets | | 3,024 | 756 | 756 | 28 |
| 459 | Modules/ Rect IO | 54602-910LF |  | Modular Jacks | | 3,200 | 200 | 3,200 | 35 |
| 460 | Modules/ Rect IO | 55640-20201LF |  | Smart Card | | 1,026 | 342 | 342 | 56 |
| 461 | Modules/ Rect IO | 55917-501LF | | USB | | 2,000 | 400 | 400 | 28 |
| 462 | Modules/ Rect IO | 55917-601LF |  | USB | | 2,000 | 400 | 400 | 28 |
| 463 | Modules/ Rect IO | 56441-30007LF | | Memory Connectors | | 1,024 | 512 | 512 | 28 |
| 464 | Modules/ Rect IO | 59354-052FSLF |  | Memory Connectors | | 560 | 140 | 140 | 35 |
| 465 | Modules/ Rect IO | 61729-0010BLF |  | USB | | 3,300 | 3,300 | 3,300 | 56 |
| 466 | Modules/ Rect IO | 61729-0011BLF | | USB | | 3,300 | 3,300 | 3,300 | 3300 |
| 467 | Modules/ Rect IO | 61835-0441LF |  | Modular Jacks | | 7,200 | 2,400 | 2,400 | 21 |
| 468 | Modules/ Rect IO | 62451-022LLF | | PC Card/Header | | 720 | 240 | 240 | 49 |
| 469 | Modules/ Rect IO | 62453-022LF |  | PC Card/Header | | 240 | 240 | 240 | 49 |
| 470 | Modules/ Rect IO | 69255-001LF |  | Modular Jacks | | 3,600 | 1,800 | 1,800 | 7 |
| 471 | Modules/ Rect IO | 69802-144LF | | Sockets | | 5,000 | 5,000 | 5,000 | 28 |
| 472 | Modules/ Rect IO | 69802-432LF |  | Sockets | | 3,900 | 3,900 | 3,900 | 28 |
| 473 | Modules/ Rect IO | 69802-444LF | | Sockets | | 2,000 | 2,000 | 2,000 | 28 |
| 474 | Modules/ Rect IO | 69913-002LF |  | | | 416 | 208 | 208 | 21 |
| 475 | Modules/ Rect IO | 69913-104LF | | | | 400 | 100 | 100 | 21 |
| 476 | Modules/ Rect IO | 69958-104LF |  | | | 400 | 100 | 100 | 21 |
| 477 | Modules/ Rect IO | 7111S1615A02LF |  | Smart Card | | 1,300 | 650 | 650 | 119 |
| 478 | Modules/ Rect IO | 7111S2015X02LF |  | Smart Card | | 1,400 | 1,400 | 1,400 | 21 |
| 479 | Modules/ Rect IO | 71299-050CALF | | PC Card/Header | | 960 | 96 | 96 | 28 |
| 480 | Modules/ Rect IO | 71299-120CALF |  | PC Card/Header | | 960 | 96 | 96 | 28 |

| | | | | | | | | |
|-----|------------------|--------------------|---|----------------|--------|--------|--------|-----|
| 481 | Modules/ Rect IO | 72309-8034BLF |  | USB | 3,280 | 1,640 | 1,640 | 28 |
| 482 | Modules/ Rect IO | 7312P0225A13LF |  | Smart Card | 1,200 | 600 | 600 | 63 |
| 483 | Modules/ Rect IO | 7332E0225S15LF |  | Smart Card | 720 | 360 | 360 | 70 |
| 484 | Modules/ Rect IO | 7334L2622F01LF |  | Smart Card | 1,400 | 700 | 700 | 42 |
| 485 | Modules/ Rect IO | 7334L2622F05LF | | Smart Card | 1,400 | 700 | 700 | 42 |
| 486 | Modules/ Rect IO | 7361E0525S05LF |  | Smart Card | 1,600 | 400 | 400 | 70 |
| 487 | Modules/ Rect IO | 73725-0110BLF |  | USB | 4,800 | 2,400 | 2,400 | 28 |
| 488 | Modules/ Rect IO | 74233-100LF |  | USB | 1,200 | 300 | 300 | 28 |
| 489 | Modules/ Rect IO | 74233-102LF | | USB | 1,200 | 300 | 300 | 28 |
| 490 | Modules/ Rect IO | 74233-202LF | | USB | 1,200 | 300 | 300 | 28 |
| 491 | Modules/ Rect IO | 7431E0225S01LF |  | Smart Card | 360 | 360 | 360 | 70 |
| 492 | Modules/ Rect IO | 7434L0425F01LF | | Smart Card | 2,040 | 340 | 340 | 21 |
| 493 | Modules/ Rect IO | 74355-1041LF |  | | 600 | 300 | 300 | 21 |
| 494 | Modules/ Rect IO | 74355-1091LF | | | 600 | 300 | 300 | 21 |
| 495 | Modules/ Rect IO | 74445-588LF |  | Modular Jacks | 2,100 | 2,100 | 2,100 | 105 |
| 496 | Modules/ Rect IO | 74903-702LF |  | | 1,000 | 1,000 | 1,000 | 21 |
| 497 | Modules/ Rect IO | 76361-015LF |  | Modular Jacks | 3,000 | 1,000 | 1,000 | 21 |
| 498 | Modules/ Rect IO | 78097-104LF | | | 400 | 400 | 400 | 21 |
| 499 | Modules/ Rect IO | 78098-104LF |  | | 416 | 208 | 208 | 21 |
| 500 | Modules/ Rect IO | 87180-066LF |  | Modular Jacks | 2,580 | 2,580 | 2,580 | 14 |
| 501 | Modules/ Rect IO | 87180-088LF | | Modular Jacks | 1,728 | 1,728 | 1,728 | 21 |
| 502 | Modules/ Rect IO | 87520-0010BLF |  | USB | 4,200 | 4,200 | 4,200 | 7 |
| 503 | Modules/ Rect IO | 87583-3010RPALF | | USB | 4,000 | 1,000 | 1,000 | 28 |
| 504 | Modules/ Rect IO | 90511-001LF |  | Modular Jacks | 2,400 | 2,400 | 2,400 | 7 |
| 505 | Modules/ Rect IO | 90512-001LF | | Modular Jacks | 2,100 | 2,100 | 2,100 | 14 |
| 506 | Modules/ Rect IO | 91139-088LF |  | Modular Jacks | 2,000 | 1,000 | 1,000 | 21 |
| 507 | Modules/ Rect IO | 91487-241LF | | | 1,000 | 200 | 200 | 21 |
| 508 | Modules/ Rect IO | 91488-571LF | | | 300 | 50 | 50 | 21 |
| 509 | Modules/ Rect IO | 92140-020HLF | | PC Card/Header | 1,152 | 144 | 144 | 42 |
| 510 | Modules/ Rect IO | 92193-050CAHLF |  | PC Card/Header | 1,152 | 96 | 96 | 28 |
| 511 | Modules/ Rect IO | 92250-088LF |  | Modular Jacks | 4,200 | 2,100 | 2,100 | 21 |
| 512 | Modules/ Rect IO | 94910-008MLF |  | Modular Jacks | 800 | 200 | 200 | 21 |
| 513 | Modules/ Rect IO | 95678-00100LF | | Modular Jacks | 1,440 | 1,440 | 1,440 | 35 |
| 514 | Modules/ Rect IO | 95679-001LF | | Modular Jacks | 2,880 | 1,440 | 1,440 | 21 |
| 515 | Modules/ Rect IO | 98783-104LF | | | 400 | 400 | 400 | 21 |
| 516 | Modules/ Rect IO | DILB8P-223TLF |  | Sockets | 18,000 | 18,000 | 18,000 | 21 |
| 517 | Terminal Blocks | 20020007-H021B01LF | | | 2,800 | 350 | 2,800 | 70 |
| 518 | Terminal Blocks | 20020007-H031B01LF | | | 1,750 | 250 | 1,750 | 70 |
| 519 | Terminal Blocks | 20020007-H041B01LF | | | 1,260 | 180 | 1,260 | 70 |
| 520 | Terminal Blocks | 20020107-H021A01LF | | | 1,200 | 600 | 1,200 | 56 |
| 521 | Terminal Blocks | 20020107-H031A01LF | | | 900 | 450 | 900 | 56 |
| 522 | Terminal Blocks | 20020107-H041A01LF | | | 600 | 300 | 600 | 56 |
| 523 | Terminal Blocks | 20020108-H01A01LF | | | 640 | 160 | 640 | 56 |
| 524 | Terminal Blocks | 20020110-D051A01LF | | | 500 | 500 | 500 | 56 |
| 525 | Terminal Blocks | 20020110-H021A01LF | | | 1,200 | 600 | 1,200 | 56 |
| 526 | Terminal Blocks | 20020110-H031A01LF | | | 900 | 450 | 900 | 56 |
| 527 | Terminal Blocks | 20020110-H041A01LF | | | 600 | 300 | 600 | 56 |
| 528 | Terminal Blocks | 20020316-H021B01LF | | | 1,320 | 660 | 1,320 | 56 |
| 529 | Terminal Blocks | 20020316-H031B01LF | | | 880 | 440 | 880 | 56 |

Grand Total