







HF
Halogen Free

FR



DATE CODE
SEE NOTES 4



NOTES:

- MATERIAL:
 - HOUSING: HIGH TEMPERATURE THERMOPLASTIC, UL94V-0, COLOR: BLACK
 - CONTACTS: COPPER ALLOY.
 - PEG: STAINLESS STEEL.
- REFLOW SOLDER CAPABLE TO 260°C.
- FINISH:
 - CONTACT: OPTIONAL GOLD PLATED ON CONTACT AREA AND GOLD FLASH SOLDER AREA. 50u" MIN NICKEL UNDERPLATING OVERALL.
 - PEG: 80u" MIN. MATTE-TIN PLATED ON SOLDERING AREA.
 - 50u" MIN. NICKEL UNDERPLATING.
- DATE CODE : YYWWDLX
 - YY: YEAR (09: 2009)
 - WW: WEEK (25: THE 25TH WEEK)
 - D: DAY (1~7: SUNDAY~SATURDAY)
 - L: LINE NUMBER OF ASSEMBLY (A: LINE A)
 - X: D OR N (D: DAY; N: NIGHT)
- CONNECTOR ACTUAL PIN QUANTITY IS 67, AS THE KEY TAKING OUT 8 PINS.
- PRODUCT SPECIFICATION: GS-12-1195
- PART NUMBER DESCRIPTION:
10131758-00 X R LF




- LF: LEAD FREE
- PACKAGE CODE:
R: TAPE & REEL PACKAGE
- PLATING CODE:
1: AU 1u" MIN.
4: AU 15u" MIN.
5: AU 30u" MIN.

mat'l. code		surface	tolerance	projection	product family
ltr	ecn no	dr	date	tolerances unless otherwise specified	title
A		TAI	2015-01-09	angles mm X°±2°	M.2 CONNECTOR, M KEY 8.5mm HEIGHT
				dr	sheet 1 of 3
				enr	size
				chr	A4
				appd	10131758
					Customer Drawing
sheet index	revision sheet	A	A	A	
		1	2	3	

KEY M	-6.125	14.0	2.0	14.0	1.5	1.125	1.375
KEY NAME	DIM.A	DIM.B	DIM.C	DIM.D	DIM.E	DIM.F	DIM.G





EMBOSS WIDTH 32mm, CARD SLOT FORWARD



NOTES:

- MATERIAL:
COVER TAPE: ANTISTATIC P.S T=0.05±0.01, COLOR: CLEAR
CARRIER TAPE: ANTISTATIC P.S T=0.40±0.10, COLOR: BLACK
REEL: PS UL94V-0
CARTON: CORRUGATED FIBER
- DIMENSION:
REEL: SEE DRAWING
SHIPPING CARTON: 385X385X295mm
- QUANTITY: SEE TABLE
- PEELING RESISTANCE: 10gf~130gf (for 12~56mm)
- PEELING SPEED: 300mm/MINUTES



5.35KG	3.525KG	500	5	2500	10131758-00XRLF
GROSS WEIGHT	NET WEIGHT	PCS/ REEL	REEL/ CARTON	PCS/ CARTON	PART NUMBER

mat'l. code				surface		tolerance		projection		product family	
ltr				ecn no		dr		date		title	
				tolerances unless otherwise specified		mm		mm		M.2 CONNECTOR, M KEY 8.5mm HEIGHT	
				angles		.X ±0.3		mm			
				linear		.XX ±0.25		scale			
				X°±2°		.XXX ±0.150					
				dr		KENNY TAI 2014-09-15		FCI		dwg no	
				enr		KENNY TAI 2014-09-15				sheet 3 of 3	
				chr		KENNY TAI 2014-09-15				size	
				appd		PM ZHENG 2015-01-09				10131758	
										A4	
										type	
										Customer Drawing	
sheet index		revision sheet		A 1		A 2		A 3			